

2017 Dust Extraction System Launch





8 GALLON DUST EXTRACTOR

ONE-SLIDER



OSHA Table 1 Compliant

 OSHA-compliant solution for the regulation on respirable crystalline silica dust (29 CFR 1926.1153)

Two Step Filter System

- Powerful reversed air pulse activates every 15 seconds on the main filter, maintaining high air flow and minimizing performance drops
- Two Step Filter System
 - The main filter with auto cleaning captures dust at 99.9% efficiency
 - HEPA filter captures the remaining small and hazardous dust as a 2nd step for increased safety, service cost, and maximum filtration level, 99.97% efficiency



Performance

- Powerful motor delivers 148 CFM and 92" of water lift for fine dust extraction
- Power Tool Activated
 - Power outlet on vacuum allows power tool to be plugged in and vacuum will run only when power tool has been turned on

Pre-Order Date: May 25th, 2017

Ship Date: July 14th, 2017

ITEM #	DESCRIPTION
8960-20	8 GALLON DUST EXTRACTOR



8 GALLON DUST EXTRACTOR

ACCESSORY ONE-SLIDER

Filters **Dust Bags Adapters**

Pre-Order Date: May 25th, 2017

Ship Date: July 14th, 2017

Filter Options

- Main Filter
 - Durable and washable PTFE material, acts as first filtration method at 99.9% filtration efficiency
- HEPA Filter
 - Protected by main filter and housing for increased safety and less service cost
 - Captures remaining small hazardous dust at 99.97% efficiency of all particles greater than 0.3 microns

Dust Bag Options

- Fleece Dust Bag 5PK
 - Fully enclosed bag to minimize dust exposure during disposal (recommended bag for silica dust)
- Plastic Dust Bag 5PK
 - Standard bag for easy and convenient dust disposal (recommended for non-hazardous dusts, not fully enclosed)

Adapters

- Power Tool Adapter: Compatible w/ vacuum bits (SDS Max and SDS Plus)
- Hose Sleeve: Compatible w/ Vacuum Assisted Dust Extractor (5261-DE) & 7" Dust Shroud (49-90-6105)
- Hose Clip Adapter: Compatible w/ SDS Max Dust Extraction Attachment (5317-DE), 4-1/2"-5" Cutting Dust Shroud (49-40-6110) & SDS Max Chisel Boot (5318-DE)
- Dust Extraction Adapter: Compatible with Milwaukee 4"-5" Universal Dust Shroud (49-40-6101) and Hose Clip Adapter (49-90-1959)

ITEM #	DESCRIPTION
49-90-1952	HEPA FILTER
49-90-1953	MAIN FILTER
49-90-1955	FLEECE DUST BAG – 5PK
49-90-1954	PLASTIC DUST BAG – 5PK
49-90-1957	POWER TOOL ADAPTER
49-90-1958	HOSE SLEEVE
49-90-1959	HOSE CLIP ADAPTER
49-90-1960	DUST EXTRACTION ADAPTER



SDS PLUS APPLICATIONS

2306-20/22 M12™ HAMMERVAC™ UNIVERSAL DUST EXTRACTOR

OSHA Compliant

OSHA

Compatible

Ease of Use

OSHA Objective Data Compliant

 OSHA-compliant solution for the regulation on respirable crystalline silica dust (29 CFR 1926.1153) when used in accordance with Milwaukee objective data

Compatible

- Only universal tool of it's kind
 - Universal handle system is compatible with major brands of SDS Plus rotary hammers
- Delivers certified HEPA-standard debris filtration

Ease of Use

- Adjustable 4" Capacity Depth Stop & Ruler
 - Easily and precisely adjusts for accurate hole depths and widths up to 7/8" diameter
- Auto-On mode turns HAMMERVAC[™] on and off for maximum productivity
- Powered by M12[™] REDLITHIUM[™] batteries



Pre-Order Date: Available Now

ITEM #	DESCRIPTION
2306-20	M12 [™] HAMMERVAC [™] Universal Dust Extractor
2306-22	M12™ Universal HAMMERVAC 2 Batt Kit
49-90-2306	HAMMERVAC™ Filter (3-Pack)

SDS PLUS APPLICATIONS 2712-DE AND 2715-DE HAMMERVAC™ DEDICATED DUST EXTRACTORS

OSHA Compliant









OSHA Objective Data Compliant

 OSHA-compliant solution for the regulation on respirable crystalline silica dust (29 CFR 1926.1153) when used in accordance with Milwaukee objective data

Inline Design

- Engineered to fit in the most confined workspaces
- Clear line of sight

Ease of Use

- Adjustable 4" Capacity Depth Stop & Ruler
 - Easily and precisely adjusts for accurate hole depths and widths up to 7/8" in diameter
- Powered by M18[™] FUEL[™] 2712-22 and 2715-22 Rotary Hammers
- Replaceable certified HEPA filter

Pre-Order Date: Available Now





ITEM #	DESCRIPTION
2712-DE	M18 [™] HAMMERVAC [™] Dedicated Dust Extractor
2712-22DE	M18 FUEL™ 1" SDS Plus Rotary Hammer W/ DE Kit
2715-DE	M18™ HAMMERVAC [™] Dedicated Dust Extractor
2715-22DE	M18 FUEL™ 1-1/8" SDS Plus Rotary Hammer W/ DE Kit
49-90-2306	HAMMERVAC [™] Filter (3-Pack)



OSHA Compliant

SDS PLUS APPLICATIONS 5261-DE VACUUM ASSISTED DUST EXTRACTOR

OSHA Universal **Quick Setup**

OSHA Table 1 Compliant

 OSHA-compliant solution for the regulation on respirable crystalline silica dust (29 CFR 1926.1153) when used with Milwaukee 8 Gallon Dust Extractor (8960-20)

Universal and Compatible

- Compatible with major brands of SDS Plus rotary hammers
- Pre-drilling for anchors up to 4" deep & less than 7/8" diameter

Quick Installation

- Easy installation to SDS Plus rotary hammers
- Includes (3) side handle clamping collar assemblies, replacement nozzle, and an adjustable depth stop and ruler

Pre-Order Date: Available Now

ITEM #	DESCRIPTION
5261-DE	VACUUM ASSISTED DUST EXTRACTOR





SDS PLUS APPLICATIONS SDS+ VACUUM DRILL BITS



OSHA Table 1 Compliant

- OSHA-compliant solution for the regulation on respirable crystalline silica dust (29 CFR 1926.1153) when used with Milwaukee 8 Gallon Dust Extractor (8960-20)
- Universal Adapter connects to most common dust extractors

FASTER CHEMICAL ANCHOR INSTALLATION

- Removes dust from hole while drilling
- Eliminates the need for traditional "blow, brush, blow" hole cleaning method

LONGER BIT LIFE

 4-Cutter tip across the full range for increased durability in concrete and concrete with rebar

Pre-Order Date: June 5, 2017

Ship Date: August 2017

ITEM #	DESCRIPTION
48-20-2102	SDS+ VAC BIT 7/16X7-7/8X13
	SDS+ VAC BIT 1/10X7-7/8X13
48-20-2106	
48-20-2110	SDS+ VAC BIT 9/16X9-1/2X14
48-20-2114	SDS+ VAC BIT 5/8X9-1/2X14
48-20-2118	SDS+ VAC BIT 3/4X9-1/2X14
48-20-2100	SDS+ VAC BIT ADAPTER





OSHA Compliant

SDS MAX APPLICATIONS 5317-DE SDS MAX DUST EXTRACTION ATTACHMENT



OSHA Table 1 & Objective Data Compliant

- OSHA-compliant solution for the regulation on respirable crystalline silica dust (29 CFR 1926.1153) when used with Milwaukee 8 Gallon Dust Extractor (8960-20)
- Dense brush ring allows for greater dust containment

Capacity

- 1/4" 2-3/4" capacity
- Removable and replaceable brush rings (43-31-0015) for dry coring applications



Easy Set-up

- Hooks to Hose Clip Adapter (49-90-1959) on the Milwaukee 8960-20 8 Gallon Dust Extractor and most pro-brand dust extractors
- Designed to stick to both even and uneven surfaces. Recommended use is to turn the filter cleaning mode OFF on the 8 Gallon Dust Extractor

Pre-Order Date: Available Now

Ship Date: June 23, 2017


ITEM #	DESCRIPTION
5317-DE	SDS MAX DUST EXTRACTION ATTACHMENT



SDS MAX APPLICATIONS 5318-DE SDS MAX CHISEL BOOT



Easy Set-up



OSHA Table 1 Compliant

 OSHA-compliant solution for the regulation on respirable crystalline silica dust (29 CFR 1926.1153) when used with Milwaukee 8 Gallon Dust Extractor (8960-20)

Versatile

- Compatible with all bull point and flat chisels less than 1-1/8" wide
- Compatible with most SDS Max Rotary Hammers



Easy Set-up

- Hooks to Hose Clip Adapter (49-90-1959) on the Milwaukee 8960-20 8 Gallon Dust Extractor and most pro-brand dust extractors
- Strap secures hose to rotary hammer allowing for clear line of sight

Pre-Order Date: Available Now

Ship Date: August 7, 2017

ITEM #	DESCRIPTION
5318-DE	SDS MAX CHISEL BOOT



SDS MAX APPLICATIONS SDS-MAX VACUUM DRILL BITS



OSHA Table 1 Compliant

- OSHA-compliant solution for the regulation on respirable crystalline silica dust (29 CFR 1926.1153) when used with Milwaukee 8 Gallon Dust Extractor (8960-20)
- Universal Adapter connects to most common dust extractors

FASTER CHEMICAL ANCHOR INSTALLATION

- Removes dust from hole while drilling
- Eliminates the need for traditional "blow, brush, blow" hole cleaning methods

LONGER BIT LIFE

 4-Cutter tip across the full range for increased durability in concrete, and concrete with rebar

Pre-Order Date: June 5, 2017

Ship Date: August 2017

ITEM #	DESCRIPTION
48-20-2152	SDSMAX VAC BIT 5/8X15.75X23
48-20-2156	SDSMAX VAC BIT 3/4X15.75X23
48-20-2160	SDSMAX VAC BIT 7/8X15.75X23
48-20-2164	SDSMAX VAC BIT 1X17.5X25
48-20-2168	SDSMAX VAC BIT 1-1/8X27X35
48-20-2172	SDSMAX VAC BIT 1-3/8X27X35
48-20-2150	SDSMAX VAC BIT ADAPTER



OSHA Compliant

GRINDER APPLICATIONS 49-40-6101 SURFACE GRINDING DUST SHROUD

OSHA Compatible **Quick Installation**

OSHA Table 1 Compliant

 OSHA-compliant solution for the regulation on respirable crystalline silica dust (29 CFR 1926.1153) when used with Milwaukee 8 Gallon Dust Extractor (8960-20)

Compatible

 Optimized for diamond cup wheels ranging from 4"-5" in diameter

Quick Installation

- Tool-less installation
- Dedicated to all new Milwaukee Small Angle Grinders



Pre-Order Date: Available Now Accessory Ship Date: August 1, 2017 Kit Ship Date: July 14, 2017

ITEM #	DESCRIPTION
49-40-6101	4"-5" Surface Grinding Dust Shroud
6117-335	5" Small Angle Grinder w/ Shroud Slide, Lock-On
6142-315	4-1/2" Small Angle Grinder w/ Shroud Paddle, Lock-On



GRINDER APPLICATIONS 49-40-6110 CUTTING DUST SHROUD



OSHA Table 1 Compliant

 OSHA-compliant solution for the regulation on respirable crystalline silica dust (29 CFR 1926.1153) when used with Milwaukee 8 Gallon Dust Extractor (8960-20)

Compatible

 Optimize for diamond abrasive wheels ranging from 4 ¹/₂" – 5" in diameter

Ease of Use

- Hooks to Hose Clip Adapter (49-90-1959) on Milwaukee 8960-20 8 Gallon Dust Extractor and most pro-brand dust extractors
- Quick wheel installation with adjustable wheel cover
- Guiding plate to ensure straight cuts



Pre-Order Date: Available Now

Ship Date: July 14, 2017

ITEM #	DESCRIPTION
49-40-6110	CUTTING DUST SHROUD



GRINDER APPLICATIONS

49-40-6105 7" UNIVERSAL SURFACE GRINDING DUST SHROUD

OSHA Compliant **OSHA** Compatible Ease of Use

OSHA Objective Data Compliant

 OSHA-compliant solution for the regulation on respirable crystalline silica dust (29 CFR 1926.1153) when used with Milwaukee 8 Gallon Dust Extractor (8960-20)

Compatible

 Universal shroud fits most pro-brand large angle grinders

Ease of Use

- Clear front clip allows greater visibility and control
- High density bristles provide flexible range of motion while also maximizing dust collection and containment



Pre-Order Date: Available Now

ITEM #	DESCRIPTION
49-40-6105	7" Universal Surface Grinding Dust Shroud